UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/552,379	06/29/2006	Gorur Narayana Srinivasa Prasanna	2003710-0003	4743
24280 7590 12/19/2006 CHOATE, HALL & STEWART LLP TWO INTERNATIONAL PLACE			EXAMINER	
			RO, BENTSU	
BOSTON, MA 02110			ART UNIT	PAPER NUMBER
			2837	
	·			•
SHORTENED STATUTOR	RY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		12/19/2006	. PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)				
Office Action Summary	10/552,379	PRASANNA, GORUR NARAYANA SRINIVASA				
Onice Action Summary	Examiner	Art Unit				
	Bentsu Ro	2837				
The MAILING DATE of this communication appeariod for Reply	ppears on the cover sheet wi	th the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING I - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the maili earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC .136(a). In no event, however, may a red d will apply and will expire SIX (6) MON te, cause the application to become AB	CATION. eply be timely filed ITHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on						
	· · · · · · · · · · · · · · · · · · ·					
3) Since this application is in condition for allow						
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D	. 11, 453 O.G. 213.				
Disposition of Claims						
4) Claim(s) <u>1-3,7,22,29-32,35-37 and 42-50</u> is/a	re pending in the application	n.				
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-3,7,22,35-37,42,43 and 48-50</u> is/a	re rejected.	•				
7)⊠ Claim(s) <u>29-32 and 44-47</u> is/are objected to.						
8) Claim(s) are subject to restriction and/	or election requirement.					
Application Papers						
9) The specification is objected to by the Examin	ner.					
10) The drawing(s) filed on is/are: a) ac		by the Examiner.				
Applicant may not request that any objection to the	e drawing(s) be held in abeyan	ice. See 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the corre	ction is required if the drawing((s) is objected to. See 37 CFR 1.121(d).				
11)☐ The oath or declaration is objected to by the E	Examiner. Note the attached	I Office Action or form PTO-152.				
Priority under 35 U.S.C. § 119		•				
12) Acknowledgment is made of a claim for foreiga) All b) Some * c) None of:	n priority under 35 U.S.C. §	119(a)-(d) or (f).				
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
Copies of the certified copies of the pri	ority documents have been	received in this National Stage				
application from the International Burea	, , , ,					
* See the attached detailed Office action for a lis	et of the certified copies not	received.				
Attachment(s)	-	(DTO 440)				
1) Notice of References Cited (PTO-892)* 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) S)/Mail Date				
3) Information Disclosure Statement(s) (PTO/SB/08) ' Paper No(s)/Mail Date 10/7/05.		nformal Patent Application				

Application/Control Number: 10/552,379 Page 2

Art Unit: 2837

FIRST OFFICE ACTION

1. The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

- 2. Specification correction is required as follows:
 - Page 20, line 22, change the phrase "an induction member R_7_200," to --an induction member I 7 200,--. See drawing Fig. 7(a).
- 3. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 4. Claims 22 and 49 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 22 is rejected because of the following reasons:

- Claim 22 depends on a canceled claim 20.
- Claim 22, line 1, the recitation "wherein each prime mover" lacks antecedent basis even if claim 22 is amended to depend on claim 1.

Claim 49 is rejected because lines 3-5 are unclear. Further, the word "exemplarily" is considered indefinite.

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Page 3

Application/Control Number: 10/552,379

Art Unit: 2837

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

6. Claims 1-3, 7, 36, 37, 48 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Boyle US Patent No. 727,276.

Basically claims read onto any one of ac/dc universal motors. The Boyle's patent is only one example of the universal motors.

Universal motors can be constructed in three different types: (1) series type; (2) shunt type; and (3) compound type. Boyle disclose series type of universal motors. Further, the universal motors may or may not have permanent magnets. However, the construction with permanent magnets as shown in Boyle's teaching, does not change the operation principle of the motor.

Understanding the basic information of a universal motor, claims read onto Boyle's teaching as follows:

The claims:	Boyle's teaching:
1. (Original) An apparatus, comprising:	Boyle's sole figure shows a universal motor;
a first component having one or more electromagnetic element; and	the universal motor has a U-shaped stator 4, the U-shape stator 4 has two windings, thus the U-shaped stator 4 is a first component having two electro-magnetic elements;
a second component having one or more electromagnetic elements	the sole figure shows an armature 1, the armature 1 is a second component; the armature 1 has four heads 2, each head 2 has its own winding; thus, the head 2 and the corresponding winding together constitute one electromagnetic element;

Application/Control Number: 10/552,379

Art Unit: 2837

and movably coupled to the first component,

wherein:

the second component is adapted to move with respect to the first component in a cyclical manner; and

the one or more electromagnetic element of the first component are adapted to interact with the one or more electromagnetic elements of the second component during each of one or more cycles of motion of the second component with respect to the first component

such that.

when a constant force profile is applied to move the second component with respect to the first component,

the speed of motion increases and decreases one or more times during each cycle of motion due to different levels of electromagnetic interaction between the electromagnetic elements within each cycle of motion.

the armature 1 rotates with respect to the U-shaped stator 4;

the rotation of the armature 1 is a cyclical manner;

when the armature poles face the U-shaped stator poles or when the armature poles rotate to the vicinity of the U-shaped stator poles, the armature poles interact with the stator poles; it is noted that the interaction occurs cyclically during each revolution of the armature 1;

the <u>"constant force profile"</u> reads onto the voltage of battery 8; why???

because:

- the "voltage" has a different name called "electromotive force, or emf";
- the battery voltage is constant; thus, a constant dc battery voltage is a constant force profile;

when switch lever 10 moves to the contact 11, the dc battery voltage is applied to move the armature 1 with respect to the Ushaped stator;

first, the armature 1 of Boyle's universal motor shows four windings, each winding should have two commutator segments; when armature rotates once, there should be 8 commutations; thus, each commutation covers mechanical 45°; during this 45 mechanical degrees, the force acts between the armature and the stator is not even, this is because the

Art Unit: 2837

armature rotates: the following experiment further demonstrates the un-even force level: if one rotates the position of the brushes, the armature may start to rotate forwardly. further rotates the brushes, the armature speed may increase; if the brush rotation continues in the same direction, the armature may increase its speed to a maximum, and then decreases the speed. and then stop, and then reverse its speed slowly, and then the reversing speed to its maximum, and then reversing speed slows again, and then the armature stops, and then the armature rotates forward again, but slowly, the cycle repeats; why this phenomenon happens?? because the magnetic flux interaction is different at different angle of armature rotation. 2. (Currently amended) (and similar claim at any specific angle of the armature, if the 3) The apparatus of claim 1, wherein the armature moves forwardly, the interaction levels of electromagnetic interaction are level increases, then the armature moves dependent on the direction of the motion of reversely, the interaction level should the second component with respect to the decrease. first component. 7. The apparatus of claim 1, where at the armature lamination is <u>"at least one</u> least one electromagnetic element has a electromagnetic element has a nonnon-uniform surface texture uniform surface texture" because the curvature at the pole tip of the lamination; that is matched to a surface to which it is the head 2 should match the surface of the attached. armature pole tip lamination. 36 and 37. claim 36 reads onto the armature rotating one revolution, claim 37 reads onto half revolution.

Application/Control Number: 10/552,379

Art Unit: 2837

48. (New) The apparatus of claim 1, further comprising: a brake

having varying levels of interaction between the first and second components resulting in a varying braking force being applied,

without using any modulation of applied external power.

when switch lever 10 moves to contact 14, which together is brake;

the different armature position facing the stator poles resulting in a varying level of interaction between the armature and the stator because the changing of reluctance between the two poles of the stator;

the battery voltage is directly applied to the stator windings without any modulation.

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

8. Claims 35, 42, 43, 49, 50 are rejected under 35 U.S.C. 103(a) as being unpatentable over Boyle.

The subject matters of these claims are not inventive because of the following reasons:

<u>Claim 35:</u>

As explained previously, permanent magnets can be incorporated into the poles of all universal motor without changing the operational principle of the motor.

Claim 42:

The motor of Boyle can be constructed in a linear form, namely, a linear motor.

<u>Claim 43:</u>

Application/Control Number: 10/552,379

Art Unit: 2837

The number of stator poles as well as armature poles in the Boyle's motor can be

Page 7

increased without changing the operational principle of the motor.

<u>Claim 49:</u>

The Boyle's motor can be used to drive a latching mechanism, which is a well-

known art.

<u>Claim 50:</u>

The damping coefficient of a shock absorber can be controlled by

electromagnetic mechanism, including using an electric motor.

9. Claims 29-32, 44 and 47 are objected to as being dependent upon a rejected

base claim, but would be allowable if rewritten in independent form including all of the

limitations of the base claim and any intervening claims.

10. The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure.

11. Any inquiry concerning this communication should be directed to Bentsu Ro at

telephone number 571 272-2072.

12/14/2006

Bentsu Ro

Senior Examiner

Art Unit 2837